



Locality Plan 1:2000

PROJECT

NIMBIN WAYFINDING PROJECT

DWG NO REV DWG NO

LA00..... PROJECT COVER PAGE

AND SHEET INDEX

SET OUT PLAN PEDESTRIAN LINK

PEDESTRIAN LINK CAR PARK PEDESTRIAN LINK LANEWAY

PEDESTRIAN LINK CULLEN STREET

SET OUT CULLEN STREET BLISTER

CULLEN STREET BLISTER NORTH

CULLEN STREET BLISTER SOUTH

SETOUT CULLEN STREET GREEN PARKLET

GREEN PARKLET SOUTH

GREEN PARKLET NORTH

LANDSCAPE DETAIL ARCH

LA12..... C LANDSCAPE DETAIL SEATING FESTOON AND


FAIRY LIGHTS

LA13..... C LANDSCAPE DETAIL BOLLARDS LANDSCAPE DETAIL SIGNAGE

LANDSCAPE DETAIL TIMBER FENCE

LA16..... B PLANTING SCHEDULE

ARTWORKS AND CONCRETE FINISHES



ENNISMORE FIELD PTY LTD 16 RAINFOREST DRIVE ELTHAM NSW 2480 WWW.ENNISMOREFIELD.COM.AU office@ennismorefield.com.au MARK PERKINS RLA 002060 LANDSCAPE ARCHITECTS CLIENT

Lismore City Council


DETAIL SURVEY NDC


ILIDAR GENERATED DTM CONTOURS GEOVIEW


ENGINEERING


| С | DETAIL DESIGN | MP | MP | 10-06-2023 |
|-------|---------------|--------|-------|------------|
| В | DETAIL DESIGN | MP | MP | 28-05-2023 |
| Α | DETAIL DESIGN | MP | MP | 2-05-2023 |
| ISSUE | DESCRIPTION | DESIGN | DRAWN | DATE |


| l | |
|-------------|-------------|
| SITE | 1 200 |
| SCALE AT A1 | 1:300 |
| | |
| SCALE AT A3 | 1:600 |
| | |
| | |
| | SCALE AT A1 |













BLISTER

- The blister will be madesafe, inviting and showcase local artists in the paving detail and sculptural seating.
- Newplantings of native species and limited exotics willreference local vegetation communities and soften pavements and the existing rock walling.
- Proposed concrete formed seating to be designed and installed by local artists and the community.
- New seating will replace ageing benches and tables providing opportunities forgroups and individuals to gather.
- Garden beds will be extended to promote the sustainability of existin g trees and palms to be retained.
- Signage will provide way finding and educational information.
- Signage incorporating braille will be included where the path from public parking areas meets the pedestrian pavement.
- Fairylights are proposed to be hung in the existing trees. Power source to beconfirmed by LCC.





16 RAINFOREST DRIVE ELTHAM NSW 2480 WWW.ENNISMOREFIELD.COM.AU

office@ennismorefield.com.au MARK PERKINS RLA 002060 LANDSCAPE ARCHITECTS Lismore City Council


ILIDAR GENERATED DTM CONTOURS


GEOVIEW


Greg Alderson and Associates

DETAIL DESIGN 28-05-2023 DETAIL DESIGN 2-05-2023 DETAIL DESIGN DESCRIPTION DESIGN DRAWN DATE


| NOT FOR CONSTRUCTION | | |
|---------------------------|-------------|-------|
| PROJECT | ı SITE | |
| NIMBIN WAYFINDING PROJECT | SCALE AT A1 | 1:50 |
| DRAWING TITLE | | |
| BLISTER SETOUT | SCALE AT A3 | 1:100 |
| DRAWING NUMBER | | |
| EFNWFP-LA05 | | |














ENNISMORE FIELD PTY LTD 16 RAINFOREST DRIVE ELTHAM NSW 2480 mob: +61 447713999 WWW.ENNISMOREFIELD.COM.AU office@ennismorefield.com.au MARK PERKINS RLA 002060 LANDSCAPE ARCHITECTS

Lismore City Council

CLIENT

DETAIL SURVEY NDC

GEOVIEW

ILIDAR GENERATED DTM CONTOURS

Greg Alderson and Associates

ENGINEERING


10-06-2023 DETAIL DESIGN С 28-05-2023 DETAIL DESIGN MP В 02-05-2023 DETAIL DESIGN DATE ISSUE DESCRIPTION design drawn


| NOT FOR CONSTRUCTION | | |
|---------------------------|-------------|------|
| PROJECT | SITE | 1.10 |
| NIMBIN WAYFINDING PROJECT | SCALE AT A1 | 1:10 |
| DRAWING TITLE | | |
| LANDSCAPE DETAIL ARCH | SCALE AT A3 | 1:20 |
| DRAWING NUMBER | | |
| EFNWFP-LA11 | | |
| | | |

















TYPICAL DETAIL: SEATING type a

SCALE 1:10 @ A1 Materials

6mm Corten steel

Module 1

Hardwood Timber slats 140mm x 70 mm x 1000

TYPICAL DETAIL: SEATING type b

SCALE 1:10 @ A1 Materials

6mm Corten steel

Module 1

Hardwood Timber slats 140mm x 70 mm x 600

ILIDAR GENERATED DTM CONTOURS

NOTES

Low voltage commercial festoon belts w/ 100cm bulb spacing


- 10 x E27 screw-in bulb sockets for every 10m of festoon belt
- Includes beautiful Warm White, Safe Shatterproof LED bulbs
- Includes 24v LED transformer & connectable 3m extension lead
- IP44 Rated (waterproof) for permanent outdoor wet weather
- Easily join festoon belts together using built-in connectors
- Compatible with our 24V remote control festoon lighting dimmers

SKU: LV-FST-BLK-100-KIT

SKV: Bulb 0.6w Warm White x 6 LED (2700k)- Dimmable

Low Voltage Festoon Lights x 100cm Light Bulb Spacing





NOTES

4 Specification Festoon Lights

-INPUT VOLTAGE 24 VOLT DC -CABLE COLOUR BLACK/WHITE -CABLE MATERIAL RUBBER

-CABLE LENGTH 10 METRES WITH END-TO-END CONNECTIONS

-BULB COLOUR WARM WHITE 2900K - 3200K

-BULBS WATTS 6 WATTS/ 10M STRING (.06 WATTS/ LED)

-BULB TYPE LED EPISTAR CHIP -NUMBER OF BULBS 100 LED'S

-IP RATING FAIRY LIGHT STRING - IP 67 / LV POWER SUPPLY - IP 67

SKU: FRY-TRE-MED





The concepts and information contained in this document are the copyright of Ennismore Field Pty Ltd. Use or duplication of this document in part or full without the written permission of Ennismore Field Pty Ltd constitutes infringement of copyright. This illustration is not guaranteed to be free of error or omission. Ennismore Field Pty Ltd does not accept liability for any act done of omission made on the basis of the information in this document, and any consequence of such acts or omissions. Do not scale from this drawing, refer dimensions and instructions as annotated.

ENNISMORE FIELD PTY LTD 16 RAINFOREST DRIVE ELTHAM NSW 2480 WWW.ENNISMOREFIELD.COM.AU office@ennismorefield.com.au MARK PERKINS RLA 002060 LANDSCAPE ARCHITECTS CLIENT

Lismore City Council


DETAIL SURVEY NDC

GEOVIEW

ENGINEERING

| С | DETAIL DESIGN | MP | MP | 10-06-2023 |
|-------|---------------|--------|-------|------------|
| В | DETAIL DESIGN | MP | MP | 28-05-2023 |
| Α | DETAIL DESIGN | MP | MP | 02-05-2023 |
| ISSUE | DESCRIPTION | DESIGN | DRAWN | DATE |

| NOT FOR CONSTRUCTION | |
|--|------------------------------|
| PROJECT NIMBIN WAYFINDING PROJECT | site scale at a1 AS SHOWN |
| DRAWING TITLE | scale at a3 AS SHOWN |
| SEATING AND (FESTOON AND FAIRY-LIGHTING) DRAWING NUMBER | SCALL AT AS |
| EFNWFP-LA12 | |



TYPICAL DETAIL: SOLAR BOLLARD BOLTED

4 TO FOUNDATION OR INGROUND

13 SCALE NTS

TYPICAL DETAIL: TIMBER BOLLARDS AT CAR PARK BOLTED

TO FOUNDATION OR IN-GROUND

13 SCALE 1:10 @ A1

The concepts and information contained in this document are the copyright of Ennismore Field Pty Ltd. Use or duplication of this document in part or full without the written permission of Ennismore Field Pty Ltd constitutes infringement of copyright. This illustration is not guaranteed to be free of error or omission. Ennismore Field Pty Ltd does not accept liability for any act done of omission made on the basis of the information in this document, and any consequence of such acts or omissions. Do not scale from this drawing, refer dimensions and instructions as annotated.

ENNISMORE FIELD PTY LTD

16 RAINFOREST DRIVE ELTHAM NSW 2480

ENNISMORE FIELD PTY LTD
16 RAINFOREST DRIVE ELTHAM NSW 2480
mob: +61 447713999
WWW.ENNISMOREFIELD.COM.AU
office@ennismorefield.com.au
MARK PERKINS RLA 002060

LANDSCAPE ARCHITECTS

CLIENT

Lismore City Council

DETAIL SURVEY NDC


ENGINEERING

Greg Alderson and Associates

ILIDAR GENERATED DTM CONTOURS GEOVIEW

| С | DETAIL DESIGN | MP | MP | 10-06-2023 |
|-------|---------------|--------|-------|------------|
| В | DETAIL DESIGN | MP | MP | 28-05-2023 |
| Α | DETAIL DESIGN | MP | MP | 02-05-2023 |
| ISSUE | DESCRIPTION | DESIGN | DRAWN | DATE |

| NOT FOR CONSTRUCTION | V |
|---------------------------|----------------------|
| PROJECT | ı SITE |
| NIMBIN WAYFINDING PROJECT | SCALE AT A1 AS SHOWN |
| DRAWING TITLE | |
| BOLLARDS | scale at a3 AS SHOWN |
| DRAWING NUMBER | |
| EFNWFP-LA13 | |



Precinct Signs

Location

- At the pedestrian link entry steps at the public carpark and at the intersect with Cullen Street. These signs will contain maps, artistic design, Village and Council logos.

- Dimensions proposed 2400mm high x 620mm wide by 105 mm deep

Foundations to Engineers specification.



Wayfinding signage on posts Location

- Atarrival, north and south of the Cullen Street Blister and Green Parklet.

- These signs will contain clear directional signage to significant locations along Cullen Street.

Dimensions

Posts Timber: 1600 mm high x 200 mm wide x 45 mm

Sign-Shape can be customised within a 800mm x300mm polygon.

Foundations to Engineers specification.

Information signage on frames Location

- At the Blister and Parklet. These signs contain more detailed mapping, educational and cultural information.

Dimensions-912mm high x 1200mm wide Steel C Sections 9mm (Painted Black) Back of sign Steel 6mm bracket

Foundations to Engineers specification.

The concepts and information contained in this document are the copyright of Ennismore Field Pty Ltd. Use or duplication of this document in part or full without the written permission of Ennismore Field Pty Ltd constitutes infringement of copyright. This illustration is not guaranteed to be free of error or omission. Ennismore Field Pty Ltd does not accept liability for any act done of omission made on the basis of the information in this document, and any consequence of such acts or omissions. Do not scale from this drawing, refer dimensions and instructions as annotated.

ENNISMORE FIELD PTY LTD 16 RAINFOREST DRIVE ELTHAM NSW 2480 mob: +61 447713999 WWW.ENNISMOREFIELD.COM.AU office@ennismorefield.com.au MARK PERKINS RLA 002060 LANDSCAPE ARCHITECTS CLIENT

Lismore City Council

DETAIL SURVEY NDC


GEOVIEW


ILIDAR GENERATED DTM CONTOURS

ENGINEERING

| С | DETAIL DESIGN | MP | MP | 10-06-2023 |
|-------|---------------|--------|-------|------------|
| В | DETAIL DESIGN | MP | MP | 28-05-2023 |
| Α | DETAIL DESIGN | MP | MP | 02-05-2023 |
| ISSUE | DESCRIPTION | DESIGN | DRAWN | DATE |

| NOT FOR CONSTRUCT | ION | |
|---------------------------|-------------|------|
| PROJECT | ı SITE | |
| NIMBIN WAYFINDING PROJECT | SCALE AT A1 | 1:10 |
| DRAWING TITLE | | |
| SIGNAGE | SCALE AT A3 | 1:20 |
| DRAWING NUMBER | | |
| EFNWFP-LA14 | | |





The concepts and information contained in this document are the copyright of Ennismore Field Pty Ltd. Use or duplication of this document in part or full without the written permission of Ennismore Field Pty Ltd constitutes infringement of copyright. This illustration is not guaranteed to be free of error or omission. Ennismore Field Pty Ltd does not accept liability for any act done of omission made on the basis of the information in this document, and any consequence of such acts or omissions. Do not scale from this drawing, refer dimensions and instructions as annotated.

ENNISMORE FIELD PTY LTD 16 RAINFOREST DRIVE ELTHAM NSW 2480 mob: +61 447713999 WWW.ENNISMOREFIELD.COM.AU office@ennismorefield.com.au MARK PERKINS RLA 002060 LANDSCAPE ARCHITECTS CLIENT

Lismore City Council

DETAIL SURVEY NDC

GEOVIEW

ILIDAR GENERATED DTM CONTOURS

ENGINEERING

| С | DETAIL DESIGN | MP | MP | 10-06-2023 |
|-------|---------------|--------|-------|------------|
| В | DETAIL DESIGN | MP | MP | 28-05-2023 |
| Α | DETAIL DESIGN | MP | MP | 11-05-2023 |
| ISSUE | DESCRIPTION | DESIGN | DRAWN | DATE |

| NOT FOR CONSTRUCTION | | |
|---------------------------|-------------|------|
| PROJECT | ı SITE | |
| NIMBIN WAYFINDING PROJECT | SCALE AT A1 | 1:10 |
| DRAWING TITLE | | |
| TIMBER RAIL FENCE | SCALE AT A3 | 1:20 |
| DRAWING NUMBER | | |
| EFNWFP-LA15 | | |

| ABBREVIATION | BOTANICAL NAME | COMMON NAME | MATURE HEIGHT | MATURE WIDTH | POT SIZE | NUMBERS |
|--------------|------------------------------|--------------------------------------|--------------------|-----------------|---------------------|---------|
| TREES | • | | | | • | |
| ELA ret | Elaeocarpus reticulatus | Blueberry Ash | 5M | 2M | 100 Litre | 1 |
| FLI sch | Flindersia schottiana | Cudgerie | 50M | 8M | 100 Litre | 2 |
| | | | | | TOTAL TREES | 12 |
| MIDSTOREY | | | | | , | |
| | | 1 | lo | | la a a | |
| AUS dul | Austromyrtus dulcis | Midyim Berry | 2M | 2M | 300mm | 4 |
| CRI ped | Crinum pedunculatum | Swamp Lily | 1M | 1M | 300mm | 2 |
| HEL gla | Helmholtzia glaberrima | Stream Lily | 1.5M | 1.5M | 300mm TAL MIDSTOREY | 12 |
| CAD alb | Corox albula | Coroy Fractod Curlo | TO EM | TO EM | 2000000 | 1 44 |
| CAR alb | Carex albula | Carex Frosted Curls | 0.5M | 0.5M | 200mm | 14 |
| CAR tes | Carex testacea | Carex Orange Sedge | 0.6M | 0.5M | 200mm | 6 |
| DIC rep | Dichondria repens | Dichondria | 0.1M | 1M | 200mm | 90 |
| FIC nod | Ficinia nodosa | Knobby Club Rush | 1.0M | 1.0M | 200mm | 10 |
| HOY aus | Hoya australis | Common Wax Flower | 0.1M | 1M | 200mm | 4 |
| ISO flu | Isotoma fluviatillis | Blue Star Creeper | 0.1M | 1M | 140mm | 90 |
| LOM fil | Lomandra filiformis | Wattle Matt Rush | 0.5M | 0.3M | 200mm | 39 |
| MAT cha | Matricaria chamomilla | Chamomile | 0.4m | 0.5M | 200mm | 18 |
| MYO par | Myoporum parvifolium | Creeping Boobialla | 0.4M | 2M | 200mm | 2 |
| RHO ant | Rhodanthe anthomoides | Chamomile Sunray | 0.4M | 0.4M | 200mm | 10 |
| ROS off | Rosmarinus officinalis | Rosemary | 1.5M | 1.5M | 200mm | 10 |
| WES fru | Westringea fruiticosa Smokey | Westringea fruiticosa prostrate form | 0.6M | 1.5M | 200mm | 5 |
| ZOY ten | Zoysia tenuifolia | Korean Temple Grass | 0.2M | 1M | 200mm | 30 |
| | | | TOTAL GROUNDCOVERS | | | 328 |

The concepts and information contained in this document are the copyright of Ennismore Field Pty Ltd. Use or duplication of this document in part or full without the written permission of Ennismore Field Pty Ltd constitutes infringement of copyright. This illustration is not guaranteed to be free of error or omission. Ennismore Field Pty Ltd does not accept liability for any act done of omission made on the basis of the information in this document, and any consequence of such acts or omissions. Do not scale from this drawing, refer dimensions and instructions as annotated.

ENNISMORE FIELD PTY LTD

ENNISMORE FIELD PTY LTD
16 RAINFOREST DRIVE ELTHAM NSW 2480
mob: +61 447713999
WWW.ENNISMOREFIELD.COM.AU
office@ennismorefield.com.au
MARK PERKINS RLA 002060

LANDSCAPE ARCHITECTS

CLIENT

Lismore City Council


Detail Survey NDC

ILIDAR GENERATED DTM CONTOURS GEOVIEW ENGINEERING

| В | DETAIL DESIGN | MP | MP | 10-06-2023 |
|-------|---------------|--------|-------|------------|
| Α | DETAIL DESIGN | MP | MP | 21-05-2023 |
| ISSUE | DESCRIPTION | DESIGN | DRAWN | DATE |

| NOT FOR CONSTRUCTION | | |
|-----------------------------------|---------------------|------|
| PROJECT NIMBIN WAYFINDING PROJECT | SITE SCALE AT A1 | 1:10 |
| DRAWING TITLE | | |
| PLANTING SCHEDULE | SCALE AT A3 | 1:20 |
| DRAWING NUMBER EFNWFP-LA16 | | |





Artworks

Wafinding Artworks

Wayfinding

Wafinging-all surfaces are to be light broom finished or exposed aggregate

ARTWORKS COLOURED CONCRETE

Coloured Concrete

For art works utilising suface colour, use paving and sports court marking products such as:

Nutech Concrete Sealers or similar (Specific colouring can be matched)

Or Concrete Colour Systems (CSS) for full depth concrete colouring. For the Pedestrian Link, Coloured Concrete CSS Watermelon (Hansen Liquide Oxides).

For the reinstated concrete pave at the Blister, Green Parklet Block Walls and Concrete setdown behing Kerb, Coloured Concrete CSS Daisy (Hansen Liquide Oxides).

ARTWORKS CONCRETE ETCHING

For etched artworks in concrete pavements wet blasting to areas left exposed by stencils is to be undertaken (dry blasting or grinding is not to be used). Concrete must be cured before undertaking blasting. The artist may choose to stain the etched area. No etching is to be deeper than 3mm. The artist may choose to add particular aggregates for texture or full depth colour to areas to be etched when the concrete is poured. Coordination is required with the contractor.

The concepts and information contained in this document are the copyright of Ennismore Field Pty Ltd. Use or duplication of this document in part or full without the written permission of Ennismore Field Pty Ltd constitutes infringement of copyright. This illustration is not guaranteed to be free of error or omission. Ennismore Field Pty Ltd does not accept liability for any act done of omission made on the basis of the information in this document, and any consequence of such acts or omissions. Do not scale from this drawing, refer dimensions and instructions as annotated.

ENNISMORE FIELD PTY LTD mob: +61 447713999 LANDSCAPE ARCHITECTS

16 RAINFOREST DRIVE ELTHAM NSW 2480 www.ennismorefield.com.au office@ennismorefield.com.au MARK PERKINS RLA 002060

CLIENT

Lismore City Council

ENGINEERING

| Α | DETAIL DESIGN | MP | MP | 10-06-2023 |
|-------|---------------|--------|-------|------------|
| ISSUE | DESCRIPTION | DESIGN | DRAWN | DATE |

| NOT FOR CONSTRUCTION | | |
|---------------------------------|-------------|--|
| PROJECT | SITE | |
| NIMBIN WAYFINDING PROJECT | SCALE AT A1 | |
| DRAWING TITLE | | |
| ART WORKS AND CONCRETE FINISHES | SCALE AT A3 | |
| DRAWING NUMBER | | |
| EFNWFP-LA17 | | |